

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS #4)

VISIBLE EMISSION NOTATIONS

Inspector: Ted Campbell
Date of Inspection: 5/1/13
Shift: 1st Shift or 2nd Shift Time: 5:00pm

Visual Inspection	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	Normal	
Visible Emission From Discharge Conveyor System	Normal	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack S04)

VISIBLE EMISSION NOTATIONS

Inspector: Ted Compton
Date of Inspection: 5/2/13
Shift: 1st Shift or 2nd Shift Time: 5:00 PM

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	Normal	_____
Visible Emission From Discharge Conveyor System	Normal	_____

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>May 2, 13</u>
Shift: <u>1st</u> Shift or 2 nd Shift Time: <u>500</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack S04)

VISIBLE EMISSION NOTATIONS

Inspector:	smelko		
Date of Inspection:	May 3, 2013		
Shift:	1 st Shift	or	2 nd Shift
Time:	500		

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift

(Stack SDS 04)

VISIBLE EMISSION NOTATIONS.

Inspector: <u>Ted Compton</u>		
Date of Inspection: <u>5/4/13</u>		
Shift: <u>1st</u> Shift or <u>2nd</u> Shift		Time: <u>500 PM</u>
Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>Nor</u>	<u> </u>
Visible Emission From Discharge Conveyor System	<u>Nor</u>	<u> </u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:		
Date of Inspection:		
Shift: 1 st Shift or 2 nd Shift Time:		
Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker		
Visible Emission From Discharge Conveyor System		

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	RICK PALOMO	
Date of Inspection:	5/6/13	
Shift: 1 st Shift or 2 nd Shift	Time: 5:00AM	

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>May 6, 13</u>
Shift: <u>1st Shift</u> or 2 nd Shift Time: <u>5:00</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Rick Palermo</i>
Date of Inspection:	<i>5/7/13</i>
Shift: 1 st Shift or 2 nd Shift	<i>2nd</i> Time: <i>5:00AM</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>NOR</i>	<i>—</i>
Visible Emission From Discharge Conveyor System	<i>NOR</i>	<i>—</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	May 7, 13	
Shift:	1 st Shift or 2 nd Shift	Time: 5:00

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Rich Palome</u>
Date of Inspection: <u>5/8/13</u>
Shift: 1 st Shift or 2 nd Shift <u>2nd</u> Time: <u>5:00AM</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: Smelko
Date of Inspection: May 08.13
Shift: 1st Shift or 2nd Shift Time: 5:00

UNIT	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: Rick Alomo		
Date of Inspection: 5/9/13		
Shift: 1 st Shift or 2 nd Shift 2nd Time: 5:00AM		
Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>May 9, 13</u>
Shift: <u>1st</u> Shift or <u>2nd</u> Shift Time: <u>5:00</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Rick Malone		
Date of Inspection:	5/10/13		
Shift: 1 st Shift or 2 nd Shift	2nd	Time:	5800AM

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: Smelko
Date of Inspection: May 10, 13
Shift: 1 st Shift or 2 nd Shift Time: 500

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>Rick Palomo</i>		
Date of Inspection: <i>5/11/13</i>		
Shift: 1 st Shift or <i>2nd</i> Shift		Time: <i>500AM</i>
Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<i>Nor</i>	<i>_____</i>
Visible Emission From Discharge Conveyor System	<i>Nor</i>	<i>_____</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>Ted Compton</i>		
Date of Inspection: <i>5/12/13</i>		
Shift: 1 st Shift or <u>2nd</u> Shift		Time: <i>5:00 AM</i>
Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	<i>_____</i>
Visible Emission From Discharge Conveyor System	<i>Nor</i>	<i>_____</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>May 12, 13</u>
Shift: <u>1st</u> Shift or 2 nd Shift Time: <u>500</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Ted Compton	
Date of Inspection:	5/13/13	
Shift: 1 st Shift or 2 nd Shift	Time:	5:00 AM

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	Normal	_____
Visible Emission From Discharge Conveyor System	Normal	_____

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 4)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>May 13, 13</u>
Shift: <u>1st</u> Shift or 2 nd Shift Time: <u>500</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack S ■ S ■ 4)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Rick Palomo</u>		
Date of Inspection: <u>5/14/13</u>		
Shift: 1 st Shift or 2 nd Shift <u>2nd</u>		Time: <u>5:00AM</u>
Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>—</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>—</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	May 14, 13	
Shift: <u>1st</u> Shift or 2 nd Shift	Time: 500PM	

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:		
Date of Inspection:		
Shift: 1 st Shift or 2 nd Shift Time:		
Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker		
Visible Emission From Discharge Conveyor System		

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko
Date of Inspection:	May 15, 13
Shift: <input checked="" type="radio"/> 1 st Shift or <input type="radio"/> 2 nd Shift	Time: 500

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:
Date of Inspection:
Shift: 1 st Shift or 2 nd Shift Time:

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker		
Visible Emission From Discharge Conveyor System		

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS ●4)

VISIBLE EMISSION NOTATIONS

Inspector:		
Date of Inspection:		
Shift: 1 st Shift ● or 2 nd Shift Time:		
UNIT	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker		
Visible Emission From Discharge Conveyor System		

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: Ted Compton
Date of Inspection: 5/18/13
Shift: 1st Shift or 2nd Shift Time: 500 AM

UNIT	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	Normal	
Visible Emission From Discharge Conveyor System	Normal	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>May 18, 13</u>
Shift: <u>1st</u> Shift or 2 nd Shift Time: <u>500</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

VISIBLE EMISSION NOTATIONS

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Darren Cudjoe</i>
Date of Inspection:	<i>5/19/2013</i>
Shift: 1 st Shift or <u>2nd</u> Shift	Time:

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	<i>—</i>
Visible Emission From Discharge Conveyor System	<i>Nor</i>	<i>—</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Ted Compton</i>
Date of Inspection:	<i>5/20/13</i>
Shift: 1 st Shift or 2 nd Shift	Time: <i>500AM</i>

DATE	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<i>Nor</i>	<i>_____</i>
Visible Emission From Discharge Conveyor System	<i>Nor</i>	<i>_____</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack S 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smeltz</u>
Date of Inspection: <u>May 20, 13</u>
Shift: <u>4th</u> Shift or 2 nd Shift Time: <u>700</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>M. Jones</i>
Date of Inspection:	<i>5/21/13</i>
Shift: 1 st Shift or 2 nd Shift	Time: <i>5:00 am</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>NO</i>	<i>—</i>
Visible Emission From Discharge Conveyor System	<i>NO</i>	<i>—</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko
Date of Inspection:	May 21, 13
Shift: <u>1st Shift</u> or 2 nd Shift	Time: 500

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	nor	—
Visible Emission From Discharge Conveyor System	nor	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>M. Torres</i>		
Date of Inspection: <i>5/22/13</i>		
Shift: 1 st Shift or 2 nd Shift <i>(2nd)</i> Time: <i>8:00</i>		
	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Normal</i>	<i>—</i>
Visible Emission From Discharge Conveyor System	<i>Normal</i>	<i>—</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>May 22, 13</u>
Shift: <u>1st Shift</u> or 2 nd Shift Time: <u>5:00</u>

	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	-
Visible Emission From Discharge Conveyor System	<u>NOR</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack S-04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Darren Andjoe</u>		
Date of Inspection: <u>5/23/2017</u>		
Shift: 1 st Shift or <u>2nd Shift</u> Time: <u>4:45</u>		
Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>Nor</u>	<u>—</u>
Visible Emission From Discharge Conveyor System	<u>Nor</u>	<u>—</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack S04)

VISIBLE EMISSION NOTATIONS

Inspector:	Darren And Joe
Date of Inspection:	5/24/2013
Shift: 1 st Shift or 2 nd Shift	Time: 4:45

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	Nor	—
Visible Emission From Discharge Conveyor System	Nor	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS #4)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>May 23, 10</u>
Shift: <u>1st Shift</u> or <u>2nd Shift</u> Time: <u>500</u>

	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko
Date of Inspection:	May 26 13
Shift: <u>1st</u> Shift or 2 nd Shift	Time: 5:00

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 4)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Darren Cudde</i>
Date of Inspection:	<i>5/25/2013</i>
Shift: <input checked="" type="radio"/> 1 st Shift or <input type="radio"/> 2 nd Shift	Time: <i>5:30 p.m.</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>NOR</i>	<i>—</i>
Visible Emission From Discharge Conveyor System	<i>NOR</i>	<i>—</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Darren Adje</i>
Date of Inspection:	<i>May 26 13</i>
Shift: <u>1st Shift</u> or 2 nd Shift	Time: <i>4:30</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	<i>—</i>
Visible Emission From Discharge Conveyor System	<i>Nor</i>	<i>—</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: Smellco
Date of Inspection: May 27, 13
Shift: 1st Shift or 2 nd Shift Time: 5:00

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Darren B Andjoe	
Date of Inspection:	5/27/2013	
Shift:	1 st Shift or 2 nd Shift	Time: 5:00 p.m.

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker		
Visible Emission From Discharge Conveyor System	Nor	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>May 28, 13</u>
Shift: 4 th Shift or <u>2nd Shift</u> Time: <u>5:00 AM</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>Darren Andjoe</i>		
Date of Inspection: <i>May 28, 2013</i>		
Shift: 1 st Shift or <u>2nd Shift</u>		Time: <i>5:00</i>
Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Not</i>	<i>2</i>
Visible Emission From Discharge Conveyor System	<i>Not</i>	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	May 28, 13	
Shift: <u>1st</u> Shift or 2 nd Shift	Time: 5:00 AM	

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Danner Adjo e	
Date of Inspection:	May 29, 2013	
Shift: 1 st Shift or 2 nd Shift	Time:	

	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	Nor	—
Visible Emission From Discharge Conveyor System	Nor	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 4)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>May 29, 13</u>
Shift: <u>1st Shift</u> or <u>2nd Shift</u> Time: <u>500</u>

Visual Inspection	Visual Inspection	Comments
NORMAL or ABNORMAL	NORMAL or ABNORMAL	
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Stam</i>
Date of Inspection:	<i>5/30/13</i>
Shift: 1 st Shift or 2 nd Shift	Time: <i>@ 5:00 AM</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker		- <i>Process / UNIT Down</i>
Visible Emission From Discharge Conveyor System	<i>NOR</i>	- <i>Process / UNIT Down</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>May 30, 13</u>
Shift: <u>1st Shift</u> or <u>2nd Shift</u> Time: <u>500</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	-
Visible Emission From Discharge Conveyor System	<u>NOR</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS #4)

VISIBLE EMISSION NOTATIONS

Inspector:	Darrin Budgee	
Date of Inspection:	5-31-2013	
Shift: 1 st Shift or 2 nd Shift	Time:	5:00 a.m.

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	Nor	—
Visible Emission From Discharge Conveyor System	Nor	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>May 31, 13</u>
Shift: <u>1st Shift</u> or <u>2nd Shift</u> Time: <u>3:00</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	-
Visible Emission From Discharge Conveyor System	<u>NOR</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.